



Member of **bemis group**

hyes

2025-2026
INTERNATIONAL EDITION



About Us

With 31 years of experience, the byes brand, which is under the roof of the Bemis group, aims to bring a breath of fresh air to the sector with its creative, dynamic and visionary perspective, following world trends and needs, and offering products and services that will benefit its stakeholders.

Our company, which has adopted the mission of export-oriented growth with its existing foreign connections and international market experience, provides services to the whole of Europe with its Polish branch. Our company, which also specializes in e-commerce sales, exhibits its products in many marketplaces in Europe.

Our Vision

Our mission is to create brand loyalty and become a recognized brand in the global market by offering innovative products and services at universal quality standards by using modern technologies to meet the current and potential needs of our business partners.

Our Mission

To offer our customers in the electricity and lighting energy sector a wide range of products where aesthetics and robustness meet in the quality denominator and at prices that respond to market conditions.

EXPORT DEPARTMENT

Byes, which is taking firm steps towards becoming a brand in the world market, has targeted its exports to 35 countries as exports to 40 countries by 2025.

Byes products meet its users in the global market through distributors, agents and Byes showrooms.

With the international fairs and promotional activities it participates in, Byes continues its efforts to increase brand awareness in the world.



+90 542 773 72 94

+90 224 363 30 65

info@byes.com.tr

export@byes.com.tr

www.byes.com.tr

PORTS



MARBLE QUARRIES



TUNNELS



QUALITY MANAGEMENT

- Production in accordance with international standards (ISO 9001:2015 Certificate)
- High quality

RESEARCH & DEVELOPMENT

- Cost-effective and innovative production
- Numerous patent applications

NELS

HEAVY INDUSTRY

CONSTRUCTIONS



CUSTOMER FOCUS

- Reliable service
- Excellent price-performance
- Functional design
- Customized solutions
- Short delivery times

GLOBAL ASSET

- 50% exports
- Global business partners
- Fast and reliable dealer network




Discover your energy

31 years of experience in our modern production facilities, **3000 quality products** that we produce by more than **100** experienced employees, We export more than **35 countries**.




New
**Surge and Overload
Protection Plug**




New
Group Sockets



New
V13 Combination Boxes
13 Fuse Capacity



New
W Automat Fuse Boxes
Flush and Surface Mounted



New
Cable Trunking
Adhesive - Non-Adhesive



New
**Cable Lugs and
In-Junction Terminals**

byes

brand
new

NEXT-GENERATION DESIGN MONOPHASE RUBBER GROUP SOCKET

- ▶ Child Protection
 - ▶ IP54 Protection Class
 - ▶ High Impact Resistance
- Thermo Rubber Body

Rubber Monophase

1x16A. (2P+E) 200/250V.



Product Code: BY10-100

IP44 1/16A. 220V.
Rubber Straight Plug



Box
40 pcs.



Pack
400 pcs.



Product Code: BY10-102

IP44 1/16A. 220V.
Rubber Connector Socket



Box
25 pcs.



Pack
200 pcs.



Product Code: BY10-101

IP44 1/16A. 220V.
Rubber Angled Plug



Box
20 pcs.



Pack
240 pcs.



Product Code: BY10-103

IP44 1/16A. 220V.
Rubber Surface Mounted Socket



Box
15 pcs.



Pack
180 pcs.



Product Code: BY10-104


IP44 1/16A. 220V.
Rubber 2 Ways Socket



Box
9 pcs.



Pack
108 pcs.



Product Code: BY10-105

IP44 1/16A. 220V.
Rubber 3 Ways Socket



Box
30 pcs.



Product Code: BY10-106

IP44 1/16A. 220V.
Rubber 4 Ways Socket





Box
8 pcs.



Pack
64 pcs.

3x25A. (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-300	3x25A. Straight Plug	BK1-2504-4011	IP44	20	160
BY10-301	3x25A. Connector Socket	BK1-2504-4314	IP55	15	120
BY10-302	3x25A. Straight Plug (Red)	BK1-2504-4012	IP44	20	160
BY10-303	3x25A. Connector Socket (Red)	BK1-2504-4315	IP55	15	120
BY10-304	3x25A. Angled Plug	BK1-2504-4023	IP44	16	128
BY10-305	3x25A. Surface Mounted Socket	BK6-2504-4511	IP55	14	112
BY10-306	3x25A. 2way Socket	BK6-2504-4612	IP55	5	60
BY10-307	3x25A. 2way Socket (1 tri + 1 mono)	BK6-2504-4611	IP55	5	60
BY10-308	3x25A. 3way Socket	BK6-2504-4615	IP55	6	48
BY10-309	3x25A. 3way Socket (2 tri + 1 mono)	BK6-2504-4614	IP55	6	48
BY10-310	3x25A. 3way Socket (1 tri + 2 mono)	BK6-2504-4613	IP55	6	48
BY10-311	3x25A. 4way Socket	BK6-2504-4618	IP55	8	40
BY10-312	3x25A. 4way Socket (2 tri + 2 mono)	BK6-2504-4616	IP55	8	40
BY10-313	3x25A. 4way Socket (3 tri + 1 mono)	BK6-2504-4617	IP55	8	40
BY10-314	3x25A. Panel Mounted Socket (Plastic)	BP2-2504-4415	IP44	18	144
BY10-315	3x25A. Screwless Connection Socket (Plastic)	BP2-2504-4440	IP44	18	144
BY10-316	3x25A. Rail Socket (Plastic)	BR1-2504-2711	IP20	8	64
BY10-317	3x25A. Surface Mounted Socket (Plastic)	BP2-2504-4516	IP44	6	72



3x16A. (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-200	3/16A. 380V. Straight Plug Black	BK6-1504-2011	IP44	20	160
BY10-201	3/16A. 380V. Connector Socket Black	BK6-1504-2311	IP44	20	160
BY10-202	3/16A. 380V. Panel Mounted Socket	BK6-1504-2410	IP44	10	120
BY10-203	3/16A. 380V. Angled Plug	BK6-1504-2022	IP44	18	144
BY10-204	3/16A. 380V. Rubber Surface Mounted Socket	BK6-1504-2511	IP44	8	64
BY10-205d	3/16A. 380V. Plastic Surface Mounted Socket	BK6-1504-2512	IP44	6	72



3x32A. (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-205	3/32A. 380V. Straight Plug Black	BK6-3504-2011	IP44	15	180
BY10-206	3/32A. 380V. Connector Socket Black	BK6-3504-2311	IP44	12	144
BY10-207	3/32A. 380V. Panel Mounted Socket	BK6-3504-2410	IP44	12	144
BY10-208	3/32A. 380V. Angled Plug	BK6-3504-2022	IP44	18	216
BY10-209	3/32A. 380V. Rubber Surface Mounted Socket	BK6-3504-2511	IP44	8	96
BY10-210	3/32A. 380V. Plastic Surface Mounted Socket	BK6-3504-2512	IP44	6	108



FLAT PLASTIC THREEPHASE SERIES (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-218	16/25A. Flat Straight Plug	BY1-1504-2011	IP44	15	180
BY10-219	16/25A. Flat Connector Socket	BY1-1504-2311	IP44	15	120
BY10-220	16/25A. Flat Surface Mounted Socket	BY1-1504-2511	IP44	12	96

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-221	25/40A. Flat Straight Plug	BY1-2504-2011	IP44	12	96
BY10-222	25/40A. Flat Connector Socket	BY1-2504-2311	IP44	8	64
BY10-223	25/40A. Flat Surface Mounted Socket	BY1-2504-2511	IP44	7	56

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-224	40/63A. Flat Straight Plug	BY1-4504-2011	IP44	8	64
BY10-225	40/63A. Flat Surface Mounted Socket	BY1-4504-2511	IP44	4	32



Group Socket Series



hyes

- ▶ Compact and stylish design suitable for both home and office use.
- ▶ Quality certified by German TÜV, compliant with all relevant standards.
- ▶ Child protection feature in all sockets to ensure safety for you and your loved ones.
- ▶ Wide product family for different applications.
- ▶ Options for cable-free use or cables of 2m, 3m, and 5m.
- ▶ Elegant mounting bracket for comfortable use of the product wherever you like.



Group Sockets with Terminal Blocks

Product Code	Description	Pack
BY80-110	2 way Group Grounded Socket, Terminal Block, Child Protection	40
BY80-111	3 way Group Grounded Socket, Terminal Block, Child Protection	30
BY80-112	3 way Group Grounded Socket with Switched, Terminal Block, Child Protection	25
BY80-113	4 way Group Grounded Socket, Terminal Block, Child Protection	30
BY80-114	6 way Group Grounded Socket, Terminal Block, Child Protection	20
BY80-115	6 way Group Grounded Socket with Switched, Terminal Block, Child Protection	20
BY80-116	Plug-in 3 way Group Grounded Socket, Terminal Block, Child Protection - White	30
BY80-117	Plug-in 3 way Group Grounded Socket, Terminal Block, Child Protection - Black	30




Group Sockets with Cable

Product Code	Description	Cable	Pack
BY80-120	3 way Group Grounded Socket, 2m, Child Protection	2 Meter	15
BY80-121	3 way Group Grounded Socket with Switched, 3m, Child Protection	3 Meter	12
BY80-122	6 way Group Grounded Socket, 5m, Child Protection	5 Meter	12



UPS Group Sockets

Product Code	Description	Pack
BY80-130	UPS Grounded with 3 way group socket, Terminal Block, Child Protection	25
BY80-131	UPS Grounded with 6 way group socket, Terminal Block, Child Protection	20





SURGE AND OVERLOAD PROTECTION PLUG



Surge Protection

- ▶ Connected devices can be disconnected from the mains protects against high voltage impulses.
- ▶ 720Joule protection capacity.



Overload Protection

- ▶ Safe when overcurrent is drawn from connected devices disconnects the circuit for use.
- ▶ Can be reset with a push-button reset button and can be used safely over and over again.

Product Code	Description	Pack
BY80-100	Surge and Overload Protection Plug (720J), Child Protection	35
BY80-101	Switched, Surge and Overload Protection Plug (720J), Child Protection	25

USB Charging Group Sockets



- Fast USB Charging 20W
- USB-C and USB-A ports
- Supports PD 3.0 (USB-C) and QC 3.0 (USB-A) fast charging protocols
- Overvoltage and overload protection for USB output
- Complies with international standards for USB charging
- Quality certified by TÜV Rheinland
- Child protection for added safety

Product Code	Description	Cable	Pack
BY80-140	3 way grounded group socket with USB Fast Charging (20W) Switched	2 Meter	10
BY80-141	6 way grounded group socket with USB Fast Charging (20W) Switched	2 Meter	10





Smart USB Power Strip

The Wi-Fi Supported 4-Socket Power Strip with Surge Protection is a smart solution that allows you to manage your electrical devices safely at home or in the workplace. With Wi-Fi connectivity, you can control the sockets through a mobile app, name each socket individually, turn them on and off at any time, and create schedules. This power strip protects your devices from overvoltage with surge protection and short circuit prevention, while also offering the convenience of 4 USB ports for easy charging. As part of smart home technology, this power strip makes your home and workplace safer and more practical.



Product Code: BY71-106
Maximum Load: 16A
USB Output: DC 5V/3.1A
Wi-Fi Standard: 2.4GHz 802.11b/g/n
Input Output Voltage: AC100-240V 50/60hz
Cable Length: 1.8 Meter



Smart RGB Bulb

The Wi-Fi Supported 9W Smart Bulb, with a brightness of 806 lumens and a long lifespan of 20,000 hours, can be safely used in every corner of your home. This bulb, which can be controlled remotely via an app, offers the ability to customize color, color temperature, and lighting intensity. With multiple scene options, it allows you to create the perfect atmosphere in any setting. Combining energy efficiency and durability, this smart bulb meets the lighting needs of modern living at the highest level. It is an ideal solution for changing the atmosphere of your home and enhancing your comfort.



Product Code: BY71-101
Socket Type: E27
Watt: 9W
Lumen: 810Lm
Color: RGB
Lifespan: 15.000 Saat
Energy Saving: %85
Lighting Angle: 180 Degree



Smart Camera

The Smart Camera enhances your home and workplace security with high-resolution images and advanced features. It delivers crystal-clear 1080P video and covers wide areas with its broad field of view. Night vision ensures clear images even in the dark. With smart tracking and motion detection capabilities, it instantly identifies movement in critical areas. Two-way audio communication and remote access allow you to connect anytime and from anywhere. Its flexible movement capability provides the option to monitor large areas, and data storage options securely save important moments.



Product Code: BY71-100
Resolution: 1080p - 25fps
Max. Card Support: 128GB SD
Wi-Fi Connection: 802.11b/g/n 2.4GHz
Usage Area: Indoor Spaces
Adapter: DC 5V/1.5A
Net Weight: 250 gr.
Power Consumption: 2-4W



Smart Motion Sensor

The Smart Motion Sensor is a cutting-edge device that takes your home security to the next level. With high-precision motion detection technology, it instantly detects every movement in your home while minimizing false alarms. Advanced algorithms quickly and accurately identify real threats, ensuring your safety is always protected. The device sends instant alerts to your smartphone or tablet through its integrated smart notification system, allowing you to monitor activity in your home at all times.



Product Code: BY71-102
Wi-Fi: 2.4GHz
Power: 1 Piece CR123A Battery
Detection Range: 7 Meters
Angle: 110 Degrees
Bluetooth: Yes



Smart Doorbell

The Smart Doorbell enhances your home's security and visitor experience. With Wi-Fi and BLE connectivity, it easily connects to the internet, allowing you to monitor everything happening at home at any time. It features a voice changer for children, helping to protect their identities and enable secure communication. When the doorbell is pressed, you receive an audible notification that can be heard from up to 20 meters away. Thanks to the 850nm infrared night vision lights, you can capture clear images even at night, ensuring you never miss a visitor. The camera activation feature quickly sends notifications to your phone when the doorbell is pressed and automatically takes a photo.



Product Code: BY71-103
Connection: Wi-Fi + BLE
Light Vision: 850nm
Field of View: 85 Degrees
Power: Built-in 600mAh Lithium Battery
Voice Changing: Yes
Two-Way Communication: Yes
Resolution: VGA, 640*480



Smart Door/Window Sensor

The Smart Door/Window Sensor continuously enhances your home security by instantly detecting the status of your doors and windows. You can monitor every movement in your home through its mobile app and control it remotely. It immediately senses when a door or window is opened or closed and sends you notifications, allowing you to keep track of your security at all times. The Smart Door/Window Sensor works seamlessly with other smart home devices. You can create smart scenarios, such as automatically turning on lights when a door is opened or activating security cameras.



Product Code: BY71-107
Wifi: 2.4 GHz
Power Source: 2 AAA Batteries
Dimensions: 70x25
App Support: Yes
Instant Notification: Yes



Smart Tag

The Smart Tracking Tag is a high-tech, Apple-licensed product that helps you quickly find lost items. Compatible with the Apple Find My network, this device allows you to securely track everything from your keys to valuable belongings and even your furry friends. Measuring 37mm x 37mm x 8.5mm and weighing just 9 grams, the Smart Tag offers durable and long-lasting use with its waterproof IPX7 rating and a battery life of 1 year. Notable for its 90dB audio alert level, this device provides a reliable solution that you can use safely at any time, thanks to its CR2032 replaceable battery.



Product Code: BY71-105
Audio Alert: 90dB
Battery Replacement: Yes
Weight: 9,1 gr
Battery Life: 1 Year
Size: 37mm x 37mm x 8,5mm




Smart Card Tag

The Smart Card is an innovative device designed to help you manage your personal belongings securely and prevent losses, adding practicality to your daily life. With an IP68 rating for water and dust resistance, it offers durability even in tough conditions, while its compact size and lightweight design make it easy to carry with you at all times. Featuring advanced technological specifications, the Smart Card is compatible with iOS 14.5 and above, providing a wide coverage area with a Bluetooth connection range of up to 50 meters. With its powerful GLS9032 buzzer feature, you can easily locate lost items, and thanks to its unlimited location range, you can track your belongings no matter where you are.



Product Code: BY71-104
Audio Alert: Yes
Bluetooth Range: 50 Meters
Battery Capacity: 100mAh
Location Range: Unlimited
Water and Dust Resistance: IP68

byes



CEE Norm Plug & Socket Series

16A. / 32A. / 63A. / 125A. - IP44 / IP67



Product Code	Description	IP	Box	Pack
BY50-100	3/16A. Straight Plug	IP44	10	80
BY50-121	3/16A. Connector Socket	IP44	10	80
BY50-163	3/16A. Panel Mounted Socket	IP44	10	80
BY50-142	3/16A. 90° Angled Surface Socket	IP44	10	40



Product Code	Description	IP	Box	Pack
BY50-106	3/16A. Straight Plug	IP67	10	60
BY50-127	3/16A. Connector Socket	IP67	10	80
BY50-169	3/16A. Panel Mounted Socket	IP67	10	80
BY50-148	3/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-103	3/32A. Straight Plug	IP44	10	60
BY50-124	3/32A. Connector Socket	IP44	10	60
BY50-166	3/32A. Panel Mounted Socket	IP44	10	60
BY50-145	3/32A. 90° Angled Surface Socket	IP44	5	20



Product Code	Description	IP	Box	Pack
BY50-109	3/32A. Straight Plug	IP67	10	60
BY50-130	3/32A. Connector Socket	IP67	10	60
BY50-172	3/32A. Panel Mounted Socket	IP67	10	60
BY50-151	3/32A. 90° Angled Surface Socket	IP67	5	20



Product Code	Description	IP	Box	Pack
BY50-101	4/16A. Straight Plug	IP44	10	80
BY50-122	4/16A. Connector Socket	IP44	10	80
BY50-164	4/16A. Panel Mounted Socket	IP44	15	60
BY50-143	4/16A. 90° Angled Surface Socket	IP44	10	40



Product Code	Description	IP	Box	Pack
BY50-107	4/16A. Straight Plug	IP67	10	80
BY50-128	4/16A. Connector Socket	IP67	10	60
BY50-170	4/16A. Panel Mounted Socket	IP67	10	80
BY50-149	4/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-104	4/32A. Straight Plug	IP44	10	60
BY50-125	4/32A. Connector Socket	IP44	10	60
BY50-167	4/32A. Panel Mounted Socket	IP44	10	60
BY50-146	4/32A. 90° Angled Surface Socket	IP44	5	20



Product Code	Description	IP	Box	Pack
BY50-110	4/32A. Straight Plug	IP67	10	60
BY50-131	4/32A. Connector Socket	IP67	10	60
BY50-173	4/32A. Panel Mounted Socket	IP67	10	60
BY50-152	4/32A. 90° Angled Surface Socket	IP67	5	20





Product Code	Description	IP	Box	Pack
BY50-102	5/16A. Straight Plug	IP44	10	80
BY50-123	5/16A. Connector Socket	IP44	10	60
BY50-165	5/16A. Panel Mounted Socket	IP44	10	60
BY50-144	5/16A. 90° Angled Surface Socket	IP44	10	40



Product Code	Description	IP	Box	Pack
BY50-108	5/16A. Straight Plug	IP67	10	60
BY50-129	5/16A. Connector Socket	IP67	10	60
BY50-171	5/16A. Panel Mounted Socket	IP67	10	60
BY50-150	5/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-105	5/32A. Straight Plug	IP44	10	60
BY50-126	5/32A. Connector Socket	IP44	10	60
BY50-168	5/32A. Panel Mounted Socket	IP44	10	60
BY50-147	5/32A. 90° Angled Surface Socket	IP44	5	20



Product Code	Description	IP	Box	Pack
BY50-111	5/32A. Straight Plug	IP67	10	60
BY50-132	5/32A. Connector Socket	IP67	10	60
BY50-174	5/32A. Panel Mounted Socket	IP67	10	60
BY50-153	5/32A. 90° Angled Surface Socket	IP67	5	20



Product Code	Description	IP	Box	Pack
BY50-113	4/63A. Straight Plug	IP44	1	12
BY50-134	4/63A. Connector Socket	IP44	1	12
BY50-176	4/63A. Panel Mounted Socket	IP44	1	30
BY50-155	4/63A. 90° Angled Surface Socket	IP44	1	12





Product Code	Description	IP	Box	Pack
BY50-116	4/63A. Straight Plug	IP67	1	12
BY50-137	4/63A. Connector Socket	IP67	1	12
BY50-179	4/63A. Panel Mounted Socket	IP67	1	30
BY50-158	4/63A. 90° Angled Surface Socket	IP67	1	12




Product Code	Description	IP	Box	Pack
BY50-114	5/63A. Straight Plug	IP44	1	12
BY50-135	5/63A. Connector Socket	IP44	1	12
BY50-177	5/63A. Panel Mounted Socket	IP44	1	30
BY50-156	5/63A. 90° Angled Surface Socket	IP44	1	12



Product Code	Description	IP	Box	Pack
BY50-117	5/63A. Straight Plug	IP67	1	12
BY50-138	5/63A. Connector Socket	IP67	1	12
BY50-180	5/63A. Panel Mounted Socket	IP67	1	30
BY50-159	5/63A. 90° Angled Surface Socket	IP67	1	12



Product Code	Description	IP	Box	Pack
BY50-120	5/125A. Straight Plug	IP67	1	8
BY50-141	5/125A. Connector Socket	IP67	1	8
BY50-183	5/125A. Panel Mounted Socket	IP67	1	18
BY50-162	5/125A. 90° Angled Surface Socket	IP67	1	6






byes

Cee Norm 63A. - 125A.

**Strong Connection to
Difficult Conditions!**



- ▶ High-quality PVC (Polyvinyl Chloride) with flame-retardant properties.
- ▶ Options available in adhesive, non-adhesive, and fishbone designs.
- ▶ Various width and height options.
- ▶ Impact and UV-resistant structure.
- ▶ Easy-to-install design with strong adhesion in adhesive models.
- ▶ Suitable for operating temperatures between -20°C and +60°C.
- ▶ Safe to use with strong electrical insulation properties.
- ▶ Flexible structure for easy cable placement.
- ▶ Made from recyclable materials.
- ▶ Standards: CE and RoHS compliant.
- ▶ Application Areas: Indoor electrical installations, data communication systems, security systems, etc.



PVC Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-100	Adhesive Cable Trunking	12x12	2m	270m
BY43-101	Adhesive Cable Trunking	15x10	2m	280m
BY43-102	Adhesive Cable Trunking	16x16	2m	270m
BY43-103	Adhesive Cable Trunking	20x10	2m	200m
BY43-104	Adhesive Cable Trunking	25x16	2m	170m
BY43-105	Adhesive Cable Trunking	25x25	2m	110m
BY43-106	Adhesive Cable Trunking	40x25	2m	80m
BY43-107	Adhesive Cable Trunking	40x40	2m	60m
BY43-108	Adhesive Cable Trunking	60x40	2m	42m
BY43-109	Adhesive Cable Trunking	60x60	2m	28m



Product Code	Description	Dim.	Length	Pack
BY43-120	Non-Adhesive Cable Trunking	12x12	2m	270m
BY43-121	Non-Adhesive Cable Trunking	15x10	2m	280m
BY43-122	Non-Adhesive Cable Trunking	16x16	2m	270m
BY43-123	Non-Adhesive Cable Trunking	20x10	2m	200m
BY43-124	Non-Adhesive Cable Trunking	25x16	2m	170m
BY43-125	Non-Adhesive Cable Trunking	25x25	2m	110m
BY43-126	Non-Adhesive Cable Trunking	40x25	2m	80m
BY43-127	Non-Adhesive Cable Trunking	40x40	2m	60m
BY43-128	Non-Adhesive Cable Trunking	60x40	2m	42m
BY43-129	Non-Adhesive Cable Trunking	60x60	2m	28m
BY43-130	Non-Adhesive Cable Trunking	100x40	2m	16m
BY43-131	Non-Adhesive Cable Trunking	100x60	2m	16m

Herringbone Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-140	Herringbone Cable Trunking (Non-adhesive)	50x12	2m	96m
BY43-141	Herringbone Cable Trunking (Non-adhesive)	70x20	2m	60m
BY43-142	Herringbone Cable Trunking (Non-adhesive)	50x12	2m	96m
BY43-143	Herringbone Cable Trunking (Non-adhesive)	70x20	2m	60m

100x50 Wide Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-150	Wide Cable Trunking	100x50	2m	16m

Modular Parts

Product Code	Description
BY43-160	Outside Corner
BY43-161	Inside Corner
BY43-162	T Junction
BY43-163	L Junction
BY43-164	Consolidation
BY43-165	Termination
BY43-166	Divider
BY43-167	Single Socket Frame
BY43-168	Double Socket Frame
BY43-169	Triple Socket Frame
BY43-170	Quadruple Socket Frame
BY43-171	45x45 Grounded Socket
BY43-172	45x45 UPS Grounded Socket
BY43-173	45x45 Data Socket Cover
BY43-174	Data Kon. Cat6E
BY43-175	Data Kon. Cat5E

ABS COMBINATION BOXES

Combination boxes are used in all electrical installation areas that need socket combination boxes and fuse boxes such as factories, workshops and industrial areas, construction sites, business centers and offices, warehouses, parking lots, common technical areas.



ABS Combination Boxes



5 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY20-100	Empty Combination Box (ABS)	214x128x170	IP44	1	12
BY20-101	3x25A 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-102	5x16A 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-103	3x25A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-104	3/16A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-105	3/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-106	5x16A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-107	5/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-108	4/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12



BY20-101



BY20-102



BY20-103



BY20-106



BY20-107

10 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY22-100	Empty Combination Box (ABS)	288x218x124	IP44	1	6
BY22-101	Front 2 pcs Side 2 pcs Hole Empty Combination	288x218x124	IP44	1	6
BY22-102	Front 2 pcs Perforated 1/16A 2 pcs Side	288x218x124	IP44	1	6
BY22-103	3x25A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-104	3/16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-105	3/32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-106	5x16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-107	5x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-108	4x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6



BY22-100



BY22-104



BY22-105



BY22-107



BY22-108

13 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY23-100	Empty Combination Box (ABS)	380x280x130	IP44	1	6
BY23-101	Front 2 pcs Side 2 pcs Hole Empty Combination	380x280x130	IP44	1	6
BY23-102	Front 2 pcs. Hole 1/16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-103	3x25A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-106	5x16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-107	5x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-108	4x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-109	5x32A 380V 1 pcs. 5x16A 380v Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-110	Front 4 pcs. Side 2 pcs. Hole Empty Combination	380x280x130	IP44	1	6
BY23-112	5x32A 380V 4 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-113	5x16A 380V 4 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6



BY23-100



BY23-102



BY23-106



BY23-107



BY23-108

byes

Flush and Surface Mounted FUSE BOXES

We produce aesthetic solutions for your walls!

Fuse Boxes Series are available in two types, flush and surface mounted, and with opaque cover options. waiting to take a stylish place in your spaces.



Surface Mounted Distribution Boards

Product Code	Description	IP	Box	Pack
BY30-102	6 Module Surface Mounted Distribution Boards	IP44	1	20
BY30-103	9 Module Surface Mounted Distribution Boards	IP44	1	16
BY30-104	12 Module Surface Mounted Distribution Boards	IP44	1	16
BY30-105	18 Module Surface Mounted Distribution Boards	IP44	1	10
BY30-106	24 Module Surface Mounted Distribution Boards	IP44	1	8
BY30-107	36 Module Surface Mounted Distribution Boards	IP44	1	5



BY30-102



BY30-103



BY30-104



BY30-105



BY30-106



BY30-107

Flush Mounted Distribution Boards

Product Code	Description	IP	Box	Pack
BY30-112	6 Module Flush Mounted Distribution Boards	IP44	1	20
BY30-113	9 Module Flush Mounted Distribution Boards	IP44	1	16
BY30-114	12 Module Flush Mounted Distribution Boards	IP44	1	16
BY30-115	18 Module Flush Mounted Distribution Boards	IP44	1	10
BY30-116	24 Module Flush Mounted Distribution Boards	IP44	1	8
BY30-117	36 Module Flush Mounted Distribution Boards	IP44	1	5



BY30-112



BY30-113



BY30-114



BY30-115



BY30-116



BY30-117

Surface Mounted ABS W Automat Boxes with Terminals Blocks

Product Code	Description	Dimensions	Pack
BY25-147	Junction Cover	Ø88mm	100
BY30-120	1-2 Surface Mounted W. Automat Box	139x65x54	30
BY30-122	2 Surface Mounted W. Automat Box	140x98x143	60
BY30-123	4 Surface Mounted W. Automat Box	140x97,5x150	45
BY30-124	6 Surface Mounted W. Automat Box	184x99,5x140	30
BY30-125	8 Surface Mounted W. Automat Box	231x100x176	20
BY30-126	12 Surface Mounted W. Automat Box	295x100x221	20
BY30-127	18 Surface Mounted W. Automat Box	390x103x220	10
BY30-128	24 Surface Mounted W. Automat Box	295x100x337	10
BY30-129	36 Surface Mounted W. Automat Box	295x100x453	10



Flush Mounted ABS W Automat Boxes with Terminals

Product Code	Description	Dimensions	Pack
BY30-132	2 Flush Mounted W. Automat Box	100x98x142	60
BY30-133	4 Flush Mounted W. Automat Box	140x98x150	45
BY30-134	6 Flush Mounted W. Automat Box	176x100x135	30
BY30-135	8 Flush Mounted W. Automat Box	220x100x169	20
BY30-136	12 Flush Mounted W. Automat Box	284x100x215	20
BY30-137	18 Flush Mounted W. Automat Box	365x103x212	10
BY30-138	24 Flush Mounted W. Automat Box	284x100x330	10
BY30-139	36 Flush Mounted W. Automat Box	284x100x446	10



Thermoplastic Junction Boxes Opaque Cover



Product Code	Description	Dimensions	IP	Box	Pack
BY25-146	Minibox Lighting Junction Box	80x40x35	IP65	30	360
BY25-120	Square Antigron Junction Box	85x85x40	IP65	20	240
BY25-121	Opaque Cover Thermoplastic Junction Box (Straight)	85x85x50	IP65	1	140
BY25-122	Opaque Cover Thermoplastic Junction Box (Screwed)	85x85x50	IP65	1	140
BY25-123	Opaque Cover Thermoplastic Junction Box	80x120x55	IP65	1	78
BY25-124	Opaque Cover Thermoplastic Junction Box	100x100x50	IP65	1	112
BY25-125	Opaque Cover Thermoplastic Junction Box	110x110x74	IP65	1	130
BY25-126	Opaque Cover Thermoplastic Junction Box	120x150x80	IP65	1	30
BY25-127	Opaque Cover Thermoplastic Junction Box	150x150x80	IP65	1	30
BY25-128	Opaque Cover Thermoplastic Junction Box	190x150x80	IP65	1	30
BY25-129	Opaque Cover Thermoplastic Junction Box	210x120x74	IP65	1	48
BY25-130	Opaque Cover Thermoplastic Junction Box	200x200x80	IP65	1	24
BY25-131	Opaque Cover Thermoplastic Junction Box	260x150x80	IP65	1	40
BY25-132	Opaque Cover Thermoplastic Junction Box	280x210x74	IP65	1	24
BY25-133	Opaque Cover Thermoplastic Junction Box	380x280x90	IP65	1	14





Plastic Cable Reels

Designed for Tough Industrial Environments

This reel is designed for challenging working conditions such as industrial facilities, construction sites, oil platforms, and the mining sector.

Technical Specifications:

Operating Voltage: 250V, 16A

Durable Structure: Made from high-impact resistant plastic.

Multiple Socket Option: 4-outlet standard safety socket system.

Power Indicator Light: Warning light indicating the status of the electrical connection.

Thermal Protection: Thermal fuse providing protection against overheating.

Plug Type: UPS-supported French type molded plug.

Protection Class: IP44, ensuring safe outdoor use.



Plastic Cable Reel (280mm Diameter)

Product Code	Description	Cable	IP	Box
BY15-100	Empty Reel 4way Socket - 50m Capacity	Empty Reel	IP20	1
BY15K1001	4way Socket	20M 3*1,5	IP20	1
BY15K1002	4way Socket	30M 3*1,5	IP20	1
BY15K1003	4way Socket	40M 3*1,5	IP20	1



Plastic Cable Reel (280mm Diameter With Thermal Fuse)

Product Code	Description	Cable	IP	Box
BY15-101	Empty Reel - Spring Cover - Thermal Fuse - 50m Capacity	Empty Reel	IP44	1
BY15K1011	4way Socket - Spring Cover - Thermal Fuse	20M 3*1,5	IP44	1
BY15K1012	4way Socket - Spring Cover - Thermal Fuse	30M 3*1,5	IP44	1
BY15K1013	4way Socket - Spring Cover - Thermal Fuse	40M 3*1,5	IP44	1



Plastic Cable Reel (240mm Diameter With Thermal Fuse)


Product Code	Description	Cable	IP	Box
BY15-102	Empty Reel - 4way Socket - Thermal Fuse - 25m Cap.	Empty Reel	IP20	1
BY15K1021	4way Socket - Thermal Fuse	15M 3*1,5	IP20	1
BY15K1022	4way Socket - Thermal Fuse	25M 3*1,5	IP20	1



Plastic Cable Reel (5 Meter Cable - Thermal Fuse)

Product Code	Description	Cable	IP	Box
BY15-100-T	1/16A. 4way Socket - Thermal Fuse	5M 3*1	IP20	1





Dimensions (mm)

Product Code	Cable Cross Section	Bolt	D	D1	D2	L1	A	B	C1	C2	Adet
BY90-100	16 mm ²	M6	6,5	5,5	7,0	24,0	12,5	10,5	7,5	7,5	500
BY90-101	25 mm ²	M8	8,5	7,0	9,0	30,5	17,5	13,0	8,5	8,5	350
BY90-102	35 mm ²	M8	8,5	8,5	10,5	34,0	18,5	15,5	9,5	9,5	250
BY90-103	50 mm ²	M10	10,5	10,0	12,0	39,5	20,0	18,0	11,0	11,0	150
BY90-104	70 mm ²	M10	10,5	11,5	14,0	42,0	22,0	20,5	11,0	11,0	100
BY90-105	95 mm ²	M12	13,0	13,5	16,0	48,0	25,0	23,5	12,0	12,0	80
BY90-106	120 mm ²	M12	13,0	15,5	18,0	52,0	27,0	27,0	14,0	14,0	50
BY90-107	150 mm ²	M12	13,0	16,5	20,0	54,5	29,0	29,0	14,0	14,0	50
BY90-108	185 mm ²	M16	17,0	18,5	22,0	61,5	32,0	32,0	14,5	14,5	40
BY90-109	240 mm ²	M16	17,0	21,5	25,5	69,0	36,5	37,5	16,0	16,0	25

* Our products are made of electrolytic copper (E-Cu), fully annealed, countersunk and coated with minimum 3 micron tin.

**Strong Connections,
Uninterrupted Energy!**



Push-in Type Wire Connectors



Features

Current: 24A

Voltage: 450V

Conductor Type: Single Core Rigid

Conductor Cross Section: 1.0 - 2.5 mm²

Min. Operating Temperature: -30°C

Max. Operating Temperature: +110°C

Body: (PC) Halogen Free



Product Code	Color	Cable Entry	Cable Cross Section	Dim.	Box	Pack
BY90-140	Red	2	1,0 - 2,5	10,5x19,5	200	10.000
BY90-141	Orange	3	1,0 - 2,5	13,5x19,7	200	10.000
BY90-142	Yellow	4	1,0 - 2,5	17,2x19,7	100	5.000
BY90-143	Gray	5	1,0 - 2,5	21,1x19,7	100	5.000
BY90-144	White	6	1,0 - 2,5	13,8x16,4	100	5.000
BY90-145	Black	8	1,0 - 2,5	17,5x19,0	100	5.000

Multi-Purpose Claw Junction Terminal

Features

Current : 32A

Voltage : 450V

Conductor Type : Single Core Rigid

Conductor Section : 0.4 - 4.0 mm²

Min. Operating Temperature : -30°C

Max. Operating Temperature : +110°C

Body : (PC)(PA) Halogen Free & Flame Retardant




Product Code	Color	Cable Entry	Cable Cross Section	Dim.	Box	Pack
BY90-150	Orange	2	0,5-4	18,2x13x9,8 mm	200	10.000
BY90-151	Orange	3	0,5-4	18,2x18,6x9,8 mm	200	10.000
BY90-152	Orange	4	0,5-4	18,2x24,2x9,8 mm	100	5.000
BY90-153	Orange	5	0,5-4	18,2x29,9x9,8 mm	100	5.000

Application Areas:

Switch boxes, distribution boxes, electrical panels, lighting fixtures, security/alarm systems, prefabricated wiring systems.



Product Code	Voltaj	Airflow	Speed / Rpm	Power	Box	Pack
BY60-100	220-240V / 50-60Hz	100 m3/h	2450 rpm	12W	1	20
BY60-101	220-240V / 50-60Hz	120 m3/h	1900 rpm	15W	1	20



Outside LED Lighting

Product Code	Description	Power	Light Color	Lumen	IP	Box	Pack
BY70-100	Oval White	20W	6400K	2000 lm	IP65	1	20
BY70-101	Sircular White	20W	6400K	2000 lm	IP65	1	20



Led Light Bulb

Product Code	Description	Power	Light Color	Lumen	Pack
BY70-102	9W Led Light Bulb Daylight	9W	3000K	800 lm	50
BY70-103	9W Led Light Bulb White	9W	6400K	800 lm	50
BY70-104	36W Fan Led Light Bulb (Propeller)	36W	6500K	3200 lm	40
BY70-105	36W Flower Led Light Bulb	24W	6500K	1900 lm	80

Brand New
Brand New





*Designing
Producing
Testing
Deliver to you*





Member of **bemis group**

Address:

Çalı Mh. 6. (410) Sk.
No. 9 16275
Nilüfer/Bursa/TURKIYE

Phone:

+90 224 363 30 65

Mail:

info@byes.com.tr
satis@byes.com.tr
export@byes.com.tr

Web:

www.byes.com.tr